

NEW

MAESTRI

OFFICINE MECCANICHE

2016



Maestri

**NEWS
CATALOG
2015**

GREASE

OIL

DIESEL

UREA

ACCESSORIES

www.maestrispa.it





Mod. EXPO/2016

Exhibition stand “MAESTRI 2016”

Measures: 127x178cm Weight: 90kg

- Ready to be installed
- The cost is the total amount of each included items from current price list.
Painted stand is free of charge.
- Stand not available separately and with different solutions.
- Included screw must be used to fix the lateral steels.
- It is not necessary to be floor fixed (freestanding). Not designed for wall installation.



Mod. EXPO/2016/RED

Exhibition stand “MAESTRI 2016/RED” **LITHIUM** Grease

Measures: 80x160cm Weight: 54kg

- Ready to be installed
- The cost is the total amount of each included items from current price list.
Painted stand is free of charge.
- Stand not available separately and with different solutions.
- Included screw must be used to fix the lateral steels.
- It is not necessary to be floor fixed (freestanding). Not designed for wall installation.



Mod. EXPO/2016/BLUE

Exhibition stand “MAESTRI 2016/BLUE”



Measures: 80x160cm Weight: 54kg

- Ready to be installed
- The cost is the total amount of each included items from current price list.
Painted stand is free of charge.
- Stand not available separately and with different solutions.
- Included screw must be used to fix the lateral steels.
- It is not necessary to be floor fixed (freestanding). Not designed for wall installation.

“EURO-LUBB” GREASE PUMP KIT

Complete with 2kg Grease Cartridge



Mod. 208/KIT “EURO-LUBB” GREASE PUMP KIT

Double use: 2kg Grease Cartridge
8kg Grease manual refill

Complete with:

- 2kg **LITHIUM** Grease Cartridge (Mod. 202)
- pressure plate for manual refill (8kg)
- pressure membrane for (2kg) cartridges refill
- 1,5m grease hose, valve,
130mm flexible pipe and 4 jaw fittings

Mod. 202
2kg spare part Grease Cartridge

LITHIUM Grease

“EURO-LUBB” GREASE PUMP KIT

Complete with 2kg Grease Cartridge

MADE IN ITALY

Mod. 208/KIT/MAX KIT POMPA GRASSO 8 Kg “EURO LUBB”

Double use: 2kg Grease Cartridge
8kg Grease manual refill

Complete with:

- 2kg **MAX** Blue Grease Cartridge (Mod. 202/MAX)
- pressure plate for manual refill (8kg)
- pressure membrane for (2kg) cartridges refill
- 1,5m grease hose, valve,
130mm flexible pipe and 4 Jaw fittings



Mod. 202/MAX 2kg spare part Grease Cartridge

MAX Blue Grease



Mod. 202

2kg spare part Grease Cartridge

LITHIUM Grease

GL EP 2 CHIARO (65L)

Packing: 2 x 2kg Grease Cartridges



Mod. 202/MAX

2kg spare part Grease Cartridge

MAX Blue Grease

GL 2 AAP ISO 460 BLU (65L)

Packing: 2 x 2kg Grease Cartridges



Mod. 202/05

Spare part pressure plate
with membrane for 2kg cartridge



Mod. 208/10

Spare part pressure plate
for 8kg manual refill

"EURO-LUBB" GREASE PUMP KIT

Complete with 2kg Grease Cartridge



Mod. 208/EXPO

8kg GREASE PUMP EXHIBITION STAND*

Double use: 2kg Grease Cartridge
8kg Grease manual refill

Complete with:

- 2kg Grease Cartridge **LITHIUM** Grease (Mod. 202)
- pressure plate for manual refill (8kg)
- pressure membrane for (2kg) cartridges refill
- 1,5m grease hose, valve, 130mm flexible pipe and 4 Jaw fittings

Measures: 42x61 cm

*exhibition stand free of charge for the first delivery

Mod. 208/EXPO/MAX

8kg GREASE PUMP EXHIBITION STAND*

Double use: 2kg Grease Cartridge
8kg Grease manual refill

Complete with:

- 2kg Grease Cartridge **MAX Blue** Grease (Mod. 202/MAX)
- pressure plate for manual refill (8kg)
- pressure membrane for (2kg) cartridges refill
- 1,5m grease hose, valve, 130mm flexible pipe and 4 Jaw fittings

Measures: 42x61 cm

*exhibition stand free of charge for the first delivery





Mod. FIX/105 FIXING MAGNET

for Grease Guns **MAESTRI** : Mod.105/BR – Mod.122

External diameter of the tanks: 57mm


External diameter of the magnets: 48mm

Mod. FIX/111 FIXING MAGNET

for Grease Guns **MAESTRI** : Mod.111/BR

External diameter of the tanks: 60mm

External diameter of the magnets: 48mm



Mod. 444/BLK

4 Jaw fittings quick Coupler

Thread: 10x1 F

Designed for high pressure manual and pneumatics grease pumps

Special tempered 4Jaw fittings

NBR Seal

Mod. 444/BLK/KIT

Spare part kit for Quick Coupler

Special tempered 4Jaw fittings

NBR Seal



DIMENSIONS: 1000 x 450 x 750 h (mm)
OPTICAL VISUAL CAPACITY: 75L



Mod. BAR/ROSSO
Red road barrier

Mod. BAR/BIANCO
White road barrier

OPTIONAL

Mod. BAR/EG
Top connector
for road barriers



MAESTRI HIGH PROFESSIONAL HOSES for OILS, DIESEL AND BIODIESEL

Internal diameters: 19 - 25 - 30 - 40 mm



Mod. PRO/19MM

High professional hoses for Oils, Diesel and Biodiesel
(Int.Diam. 19mm – Est.Diam. 28mm) - roll 25m

Mod. PRO/25MM

High professional hoses for Oils, Diesel and Biodiesel
(Int.Diam. 25mm – Est.Diam. 35.5mm) - roll 25m

Mod. PRO/30MM

High professional hoses for Oils, Diesel and Biodiesel
(Int.Diam. 30mm – Est.Diam. 40.6mm) - roll 15m

Mod. PRO/40MM

High professional hoses for Oils, Diesel and Biodiesel
(Int.Diam. 40mm – Est.Diam. 53mm) - roll 15m




Two-layer hose in thermoplastic **PVC, PU, NITRILE RUBBER** compound with embedded galvanised steel spiral with polyester yarn reinforcement for suction and delivery of oils, diesel and bio diesel.

I.D.	I.D.	E.D.	TOTAL THICKNESS	WEIGHT	BENDING RADIUS	WORKING PRESSURE I:3 23°C	WORKING PRESSURE I:4 23°C	BURTS PRESSURE 23°C	SPIRAL EXT.DIAM.	ROLLS LENGHT
inch	mm	mm	mm	g/m	mm	bar	bar	bar	mm	m
3/4	19	28	4.5	450	70	16	12	48	1	25
1	25	35.5	5.2	670	80	16	12	48	1.2	25
	30	40.6	5.3	770	90	16	12	48	1.2	15
	40	53	6.5	1200	130	14	10	42	1.4	15





- Aluminium sleeves
- Brass hose connectors with o-ring



Mod.	Int.Diameter	Lenght	Connectors
PRO19/2,5-1	diam. 19	2,5m	3/4"-3/4"
PRO19/2,5-2	diam. 19	2,5m	3/4"-1"
PRO19/2,5-3	diam. 19	2,5m	1"-1"
PRO19/4-1	diam. 19	4m	3/4"-3/4"
PRO19/4-2	diam. 19	4m	3/4"-1"
PRO19/4-3	diam. 19	4m	1"-1"
PRO19/6-1	diam. 19	6m	3/4"-3/4"
PRO19/6-2	diam. 19	6m	3/4"-1"
PRO19/6-3	diam. 19	6m	1"-1"

Mod.	Int.Diameter	Lenght	Connectors
PRO25/2,5-1	diam. 25	2,5m	3/4"-3/4"
PRO25/2,5-2	diam. 25	2,5m	3/4"-1"
PRO25/2,5-3	diam. 25	2,5m	1"-1"
PRO25/4-1	diam. 25	4m	3/4"-3/4"
PRO25/4-2	diam. 25	4m	3/4"-1"
PRO25/4-3	diam. 25	4m	1"-1"
PRO25/6-1	diam. 25	6m	3/4"-3/4"
PRO25/6-2	diam. 25	6m	3/4"-1"
PRO25/6-3	diam. 25	6m	1"-1"


Mod. AR
Quick connector 1" F X 1" F

Max pressure: 10bar – Designed for 1" M crimped hose

BRASS MALE CONNECTORS (MAX 10BAR)


Mod. PM3/4
3/4" Male hose connector

for hoses: 19mm int.diam. - 27mm ext.diam.
(our hoses mod. 902/SPEC20 and PRO/19MM)

Mod. PM1
1" Male hose connector

for hoses: 19mm int.diam. - 27mm ext.diam.
(our hoses mod. 902/SPEC20 and PRO/19MM)

Mod. PM1/25
1" Male hose connector

for hoses: 25mm int.diam. - 35mm ext.diam.
(our hoses mod. 902/SPEC25 and PRO/25MM)

